



# Evosa Congress






**08/3**

Depth 58.5cm  
Weight 5.8kg




**08/3A**

Depth 58.5cm  
Weight 7.3kg



**08/4**

Depth 60.5cm  
Weight 6.2kg



**08/4A**

Depth 60.5cm  
Weight 8.1kg



“The Evosa Congress is a frame stacking chair with all the stylish characteristics of the original Evosa.”

Designed by Peter Roth, the Evosa Congress is the perfect chair for the most prestigious venues. There are three model options, all with a stylish slender chrome plated steel frame and the latest innovative stacking buffers. This chair creates a new high in outstanding design and quality.

The slim webbed seat and unique hidden back construction provides enduring comfort while maintaining a light weight chair that can be frame stacked up to 10 high.

Retractable linking and a detachable tablet are available on request.



Option - Detachable tablet  
(Must be specified at time of order)



Elegant curved arm and sleek moulded arm pad



08/5 & 08/5A incorporates an integral top rail for ease of handling

The mild steel rod frame combined with the flexible mesh upholstery, creates an extremely comfortable support which becomes moulded to your back


Upholstered waterfall seat with built-in webbing for comfort

Elegant corner detail


Front stack buffer innovation 'hooks' over frame of chair below

Chrome plated mild steel frame

Foot incorporating stack buffer to guide and retain the chairs' position



**08/5**  
Depth 58cm  
Weight 6.9kg



**08/5A**  
Depth 58cm  
Weight 8.35kg




All models will stack up to 10 high  
The front loading CTH8 chair trolley has been designed specifically for the Evosa range to ensure optimum handling of stacked chairs



Discreet stacking buttons & feet



Option - Retractable Linking (arm chair)



Option - Retractable Linking (side chair)

## **Tonon** International

tonon international srl via del cristo 88/b 33044 manzano (ud) italy  
tel. + 39 0432 750323 fax + 39 0432 750582 info@tononint.it www.tononint.it